Declaration Management Experiment Plan

Presented to:

AMG-13

17 July 1996

AMG 13 Brief

- Summary Of Declaration Management Experiments
- Summary Of RTI 0.33e API
- Present Set-up At TestBed
- Summary Of Status
- Preliminary results
 - Baselining Effort with RTI 0.33
 - Initial Results with RTI 0.33e
- Plans / schedule

Objectives Of Declaration Management Experiments

 Support HLA definition of filtering by exercising proposed API.

Determine

- Which Functions Belong in the RTI and Which Belong in the Federates?
- How are RTI Services Accessed (Interface Specification)?
- Can a wide range of Filtering concepts be supported by the API?

through

- integration and testing of RTI functionality in RTI v0.33e,
- using JPSD IEC to implement federate use of these DM services to exercise the API.
- Assess performance implications of initial prototype implementation as a basis for evolution of RTI development

DM Testing

Key factors:

- what is baseline cost (without filtering)?
- what is best case cost (perfect filtering)?
- what is host loading caused by filtering?
- what is host loading saved by filtering?

RTI must be tested across all test scenarios, with increasing scale for:

- entity count
- host count
- state change rates

Caveats:

- Exact performance results not expected from RTI prototype -- trends and scaling are.
- Filtering experiments will focus on update_attributes first, interactions second.

DM Experimentation Plan

- Scenario Analysis Tool (SAT):
 - Create an 'abstract federation' to generate workload, establish baseline cases for community to reference.
 - » scripted actions (i.e., predictable and constant).
 - » scalable, calibrated via ModSAF experiments.
- Create 'baseline scenarios' which roughly correspond to expected federation activities. Use scenarios to drive CLCGF and SAT.
- Create 'stress scenarios' which test the known pathological cases.

Planned Scenarios (Based on existing CLCGF scenarios)

- Case 1 Ground Forces (25-50)
 - Entities: Blue M1; Red T72M
 - Blue forces begin approx 5 km from red forces, and conduct attack against red forces in position.
- Case 2 Ground + Fast Movers (50-100)
 - Entities: Blue M1, F16D, A10; Red T72M, MiG27, MiG29 Su25
 - Blue forces begin approx 5 km from red forces, and conduct attack against red forces in position. Blue aircraft conduct air-to-ground attacks against red tanks, and red aircraft recon in circular orbit around the red tank position.
- Case 3 Ground + Fast Movers + WAV (100-250)
 - Entities: Blue M1, F16D, A10, US UAV CAP; Red T72M MiG27, MiG29, Su25, USSR UAV CAP
 - Blue UAVs conduct early reconnaissance of red tank positions. Red UAVs conduct recons of blue tank force routes. Blue tanks begin approx 5 km from red forces, and conduct attack against red forces in position. Blue aircraft conduct air-to-ground attacks against red tanks, and red aircraft circle around the red tank position.
- Add scale based on performance results.

Use of RTI Filter Space Mechanisms

- Filtering on geographic location
 - Filter on x, y axis
 - An entity's subscription extent will be set to 2x it's radar range and reset when it approaches 1x.
 - An entity's publication extent will be set based on it's location and thresholds returned from the RTI.
 - Design & implementation will allow easy extension to filter on additional Filter Space variables.

Basic Declaration Management Services

- Publication -- Federate Tells the RTI What Object Classes & Their Attributes it can Update
- Subscription -- Federate Tells the RTI the Object Classes & Their Attributes in Which it is Interested
- Attribute Update -- Federate Tells the RTI the Value of an Attribute That it Owns
- Reflect Attribute -- RTI Distributes Attribute Value to Subscribing Federate(s)

Implementation Considerations

- RTI Maintains No Knowledge of Simulation or Participants (Basic HLA Philosophy)
- RTI Maintains No Knowledge of the Meaning or Format of the Attributes it Transports
- Therefore RTI cannot Directly Examine & Filter on Attribute Values
- Federate & RTI Cooperate on Value Filtering
 - Federate Provides Additional Information to the RTI Based On its Knowledge of the Simulation
 - Publication & Subscription may be Based on Such Additional Information

Proposed HLA Baseline Approach

- Federates Define One or More "Filter Specs"
 - Indicate Dimensions & Attribute Values on Which a Federation Would Like to Manage Interest Specifications
- Federates Subscribe & Publish in Terms of these Filter Specs
- Federates Associate Attribute Values with Filter Specs when they are Updated
- RTI Manages Flow of Data Based on Subscribers/Publishers Associated with the Filter Specs

Summary of RTI 0.33e API

```
create_filter_spec( space_id, extents);
  delete_filter_spec (fspec);
 set_extents (fspec, extents);
  get_threshold (fspec, thresholds);
 rti_subscribe_object_class (the_class, attribute_list, fspec);
rti_unscribe_object_class (the_class, fspec);
  rti_subscribe_interaction_class(the_class, fspec);
  rti_unsubscribe_interaction_class(the_class, fspec);
  associate_filter_spec(object_id, attribute_list, filter_spec)
```

rti_send_interaction(interaction, initiator, receiver, parameters,

the_time, user_time, fspec, id):

7/29/96 11

Current Status of Experiments

Synthetic Workload Tool

- Extensions have been completed to the SAT tool for entity-level traffic generation.
- SAT (beta) has been ported to the SUN platform.
- SAT is installed into the IEC testbed.

Physical Network Baseline

- Incorporation of NRL/SEID work: Completed calibration of cost of network accesses in a multicast environment.
- Collection of network and protocol statistics in IEC has begun.

Scenarios

 Several test scenarios have been defined (3 cases) for the Synthetic Workload Tool. Case 1 scenarios have been created and are running.

Execution Plans

- Exercise Manager plans for initial tests have been implemented and tested at the testbed. (Automated mechanism for launching repeatable tests.
- Initial Data analysis programs tested and operational.

Current Status of Experiments (cont...)

RTI v0.33e

- Integration completed, operational over Ethernet ATM conflicts are being worked by MIT/LL.
- Initial Testing is underway.
- Filter Space support completed, no problems with API supporting geographical filtering.

Performance Instrumentation

- FCS/RTI instrumentation completed.
- Network & process MOPs being collected.
- Federate level Latencies being collected .

Present Configuration For Experimente Scenario **Analysis Tool** Scenerio Scenerio Scenerio Scenerio Sun Sun Sun Sun Ultra 2 Ultra 2 Ultra 2 Ultra 2 **Run Time Run Time Run Time Run Time Analysis Tool Analysis Tool Analysis Tool Analysis Tool** (8 total) RTI RTI RTI RTI **Exercise** Manager **Bay Network Router Data Post** (IP Multicast) **Processor Test Matrix** Configuration #host 1 5 3 6 4 **Management** 2 host 20 20 # entities/host **System** 4 host 10 10 10 10

5

5

5

5

7/29/96 14

next scenario will have 103 entities, third will be 244 entities


5

5

8 host

5

Measurement Configuration



Near Term DM Experiments Schedule

- Integrate ATM fixes from MIT/LL
- Collect Data over Scenario's using RTI 0.33 and 0.33e
 - •40 entity case (2,4,8 host) Finished July 19th
 - •103 entity case (2,4,8 host) Finished July 26th
 - •244 entity case (2,4,8 host) Finished Aug 2nd
- Analysis of API support for Multiple Filtering Techniques
 - •Filter Space in baseline experiments July 26th
 - STOW category scheme--Aug 2
 - •JPSD active interest expression (source filtering)-- July 30 Initial, Aug 9 final
 - •Source Based Multicast (clustering)-- July 30 Initial, Aug 9 final
 - Destination Based Multicast-- July 30 Initial, Aug 9 final
- Provide input on IFSpec and API to DMSO and IFWG
 - •initial results on the interface spec/api --July 30
 - •Is it workable, what parts may be implementation dependent, etc?
- Declaration Management White Paper Aug 31st